



RG-WALL 1600-X8500

V1.4

3w4@ @

©2013



Ruijie

RGOS®

RGNOS®

1

RG-WALL 1600-X8500 20Gbps
8 SFP RJ 45
RG-WALL 1600-X8500 128G WAN
RG-WALL 1600-X8500

1.1 RG-WALL 1600-X8500

	RG-WALL 1600-X8500
	0 to 40°C

RG-WALL 1600-X8500 1-2

2

2.1

RG-WALL 1600-X8500

2.1.1

2.1.2

2.1.3

2.1.4

RG-WALL 1600-X8500

RG-WALL 1600-X8500

2.2.3

RG-WALL 1600-X8500

RG-WALL 1600-X8500

0°C-40°C	20%-90%

1.5M0.4M

2.2.4

/	0.5	1	3	5
---	-----	---	---	---

2.2.7 EMI



3.3


5mm

1.5cm

- 1)
- 2)
- 3)
- 4)


	IEC60297	19	RU	Rack	Unit
1RU=44.45mm(1.75inch)	1RU	3-1			
WALL 1600-X8500			RU	U	RG-

3-1



- 1) RJ45 RJ45
- 2) ,
- 3) RJ45
- 4)

3) 3-7



SFP+/SFP			
SFP+/SFP			
SFP+			
SFP+		SFP+	SFP+
1)			
2)		SFP+	
3)	SFP+		SFP+
SFP+		8	

3.10

SFP+/SFP	
SFP+/SFP	
1.	
2.	SFP+/SFP
3.	
4.	

5.



SFP+/SFP				
SFP+				
SFP+				
1)				
2)	SFP+			SFP+
		SFP+		
SFP+			8	

4

4.1

PC	Console	.
1)	DB-9	PC
2)	RJ45	Console
PC	PC	Windows3.1
		Terminal
		Windows 95/98/NT/2000/XP
	9600	8
		1
1)	- - - -	4-2

4-1



2)

4-3

4-2

3)

< >

4-4



4-3




5)

< >

4-6




			9600	8	1
1)	ile - Connect	Connect			



4-9

< >

4-10



4-10



4-11

4.1

PC

5

5.1

RG-WALL 1600-X8500

5-1 RG-WALL 1600-X8500

#	LED		
1	STATUS		
2	ALARM		
3	POWER		
4	HA		HA
			HA
			HA
5			
			/
5			1Gbp
			100Mbps

5.2

3


4

5 link

link

A

A 4



B


RG-WALL 1600-X8500	19			
			5	
7				
	7			10

D-2



D-3

D-3



220V -48V

D-4

D-4

