


admin

admin

```
11/23/12 <S>system <D>device
RG-IDP 2000S (c) 2012 Ruijie Corp.
Kernel: RJ_3.0.00_RC09_00062 2012/11/20
Signature: S.3_1204091_RELS_00170; RBL: R.3_1204091_RELS_00170
Running 0 days 18 hours 30 mins; 2 user(s) logged on
CPU Util.: 0%; Throughput: 5 Mbps; TCP connections: 0
Memory: 2,898,836 KB free, total 8,388,608 KB
CF card space: 430.80 MB free, total 469.53 MB
IP: 10.168.10.106; Netmask: 255.255.255.0
IPv6: ::192.168.168.221; Netmaskv6: 32
Gateway: 10.168.10.1
HA: 192.168.168.222; DNS: 192.168.168.22
RG-IDP Server: 10.168.10.109
TCP idle time limit: 1800 seconds
Maximum 5000 logs in 5 seconds
Connection number is counted by established connections.
<S>System <D>Device <H>Help <Esc>Exit 09:21
```

```
11/23/12 <S>system <D>evice
RG-IDP 2000S (c) 2012 Ruijie Corp. *****
Kernel: RJ_3.0.00_RC09_00062 2012/11/20
Signature: S.3_1204091_RELS_00170; RBL: R.3_1204091_RELS_00170

Running 0 days 18 hours 30 mins; 2 user(s) logged on


CPU Util.: 0%; Throughput: 5 Mbps; TCP connections: 0
Memory: 2,898,836 KB free, total 8,388,608 KB
CF card space: 430.80 MB free, total 469.53 MB

IP: 10.168.10.106; Netmask: 255.255.255.0
IPv6: ::192.168.168.221; Netmaskv6: 32
Gateway: 10.168.10.1
HA: 192.168.168.222; DNS: 192.168.168.22
RG-IDP Server: 10.168.10.109
TCP idle time limit: 1800 seconds
Maximum 5000 logs in 5 seconds
Connection number is counted by established connections.

<S>System <D>Device <H>Help <Esc>Exit 09:21
```



```
<S>system <D>evice  
  
Original Password:
```


```
<S>system <D>evice  
Device netmask: 255.255.255.0  
Device IPv6 netmask: 32
```

```
<S>system <D>evice  
Device gateway: 10.168.10.1
```

```
<S>system <D>evice
```

```
TCP Timeout (20 ~ 86400): 1800
```



```
system view
display connection es [1]
[1] Set display connection established.
[2] Set display connection total.
Set [1/2]: 1
```

```
*****  
RGT1DF@JELVEL 11.10.100.10:10>
```



```
<S>ystem <D>evice  
Target IP: 10.168.10.1
```