


```
root@SE-SC-02XS:/home/ruijie# vi /etc/network/interfaces
# This file describes the network interfaces available on your
# system.  The primary configuration file is /etc/network/interfaces.
# The secondary configuration file is /etc/network/interfaces.d/*.conf

# Loopback interface
auto lo
iface lo inet loopback

# Ethernet interface
auto eth0
iface eth0 inet dhcp

# Ethernet interface
auto eth1
iface eth1 inet dhcp

# Ethernet interface
auto eth2
iface eth2 inet dhcp


# Ethernet interface
auto eth3
iface eth3 inet dhcp

# Ethernet interface
auto eth4
iface eth4 inet dhcp
```

1 web ssh ruijie

2)





3)



1

WEB

ONC

4)





1 IP



2 IP



3 IP IP

5)



15-30






1

web

- - - - -

4.



W/ 0



3)



4)






- 1 IP
- 2 IP IP
- 3 IP IP

5)




6)



	1		IP	IP
	2	RG-ONC-CLUSTER	,	15-30

5.



1

IP

IP




1

root

root/rJ1#sDn



1



4)



1

1-2


IP

IP




1


web




-- --
--
-- --
-- --




6.



1







- ⚠ 1 IP
- ⚠ 2 IP
- ⚠ 3 IP IP

